



## Technique on Solving a Binary Quadratic Diophantine Equation Involving Odd Powers of 23

\*<sup>1</sup>Dr. N Thiruniraiselvi and <sup>2</sup>Dr. MA Gopalan

\*<sup>1</sup>Assistant Professor, Department of Mathematics, School of Engineering and Technology, Dhanalakshmi Srinivasan University, Samayapuram, Trichy, Tamil Nadu, India.

<sup>2</sup>Professor, Department of Mathematics, Shrimati Indira Gandhi College, Trichy, Tamil Nadu, India.

### Abstract

This paper aims at solving a binary quadratic Diophantine equation involving odd powers of 23 represented by  $3x^2 + 11y^2 = 23^{2k+1}$ . The method employed to solve the given equation is applying the concept of divisibility.

**Keywords:** Quadratic Diophantine equation, Binary quadratic equation, Integer solutions, Division algorithm

### Introduction

Diophantine equations, one of the areas of number theory, occupy a pivotal role in the realm of mathematics and have a wealth of historical significance. It is well-known that Diophantine equations are rich in variety. Particularly, finding integer solutions to homogeneous and non-homogeneous quadratic equations with two or more unknowns [1-11] kindled interest among mathematicians and is still a topic of current research. In this context, while collecting problems on the same, the article presented in [12] was noticed and the authors have used the modulus-amplitude form of complex number. In this paper, an attempt has been made to solve a binary quadratic Diophantine equation involving odd powers of 23 represented by  $3x^2 + 11y^2 = 23^{2k+1}$  in an elegant way. The method employed to solve the given equation is applying the concept of divisibility.

### Technical Procedure

The binary quadratic Diophantine equation to be solved is

$$3x^2 + 11y^2 = 23^{2k+1} \quad (1)$$

Taking

$$x^2 = X, y^2 = Y \quad (2)$$

In (1), it is written as

$$3X + 11Y = 23^{2k+1} \quad (3)$$

Rewrite (3) as

$$\begin{aligned} X &= \frac{23^{2k+1}}{3} - \frac{11Y}{3} \\ &= \frac{23^{2k+1}}{3} - 3Y - \frac{2Y}{3} \end{aligned} \quad (4)$$

Now, observe the following pattern:

$$23 = 3 * 7 + 2 = 3 * \left[ \frac{23}{3} \right] + 2 ,$$

$$23^3 = 3 * 4055 + 2 = 3 * \left[ \frac{23^3}{3} \right] + 2 ,$$

$$23^5 = 3 * 2145447 + 2 = 3 * \left[ \frac{23^5}{3} \right] + 2 ,$$

And so on. Thus, by induction, we have

$$23^{2k+1} = 3 * \left[ \frac{23^{2k+1}}{3} \right] + 2 \tag{5}$$

Using (5) in (4), we get

$$X = \left[ \frac{23^{2k+1}}{3} \right] - 3Y + \frac{(2 - 2Y)}{3} \tag{6}$$

Let

$$2 - 2Y = 3t$$

From the above equation we obtain

$$Y = 1 - t - \frac{t}{2}$$

Taking

$$t = 2s$$

In the above equation, we have

$$Y = 1 - 3s \tag{7}$$

Substituting (7) in (6), it is obtained that

$$X = \left[ \frac{23^{2k+1}}{3} \right] - 3 + 11s \tag{8}$$

For any given value of  $k$ , it is possible to choose  $s$  such that the R.H.S. of (7) and (8) are perfect squares. Taking the square-root, one obtains the corresponding integer values of  $x, y$  satisfying (1). A few examples are presented below:

Example 1

$$k = 0 , s = 0 \Rightarrow x = \pm 2, y = \pm 1$$

Example 2

$$k = 1 , s = -176 \Rightarrow x = \pm 46, y = \pm 23$$

$$s = -208 \Rightarrow x = \pm 42, y = \pm 25$$

Example 3

$$k = 2 , s = -93280 \Rightarrow x = \pm 1058, y = \pm 529$$

**Conclusion**

In this paper, the non-homogeneous quadratic Diophantine equation with two unknowns given by  $3x^2 + 11y^2 = 23^{2k+1}$  has been studied for obtaining its non-zero integer solutions. We have employed the fundamental concept in number theory, namely, the fabulous division algorithm to obtain the required integer solutions for the considered quadratic equation. The above concept can be applied to solve similar equations.

**References**

1. L.J. Mordell, Diophantine equations, Academic press, New York, 1969.
2. Diophantine Equations. By L. J. Mordell. Pp. 312. 1969. 90s. (Academic Press, London & New York.) | The Mathematical Gazette | Cambridge Core
3. L.E. Dickson, History of Theory of Numbers, Vol.2, Chelsea Publishing Company, New York, 1952. <https://archive.org/details/historyoftheoryo01dick/page/n1/mode/2up>
4. M.A. Gopalan, S. Vidhyalakshmi and T.R. Usharani, Integral Points on the Non-homogeneous Cone  $2z^2 + 4xy + 8x - 4z + 2 = 0$ , *Global Journal of Mathematics and Mathematical Sciences*, Vol. 2(1), Pp. 61-67, 2012.
5. <https://www.ripublication.com/Volume/gjmmsv2n1.htm>
6. M.A. Gopalan, S. Vidhyalakshmi and N. Thiruniraiselvi, A study on the hyperbola  $y^2 = 8x^2 - 31$ , *International Journal of Latest Research in Science and Technology*, 2013. 2(1):454-456.
7. [https://www.mnkjournals.com/journal/ijlrst/Article.php?paper\\_id=10114](https://www.mnkjournals.com/journal/ijlrst/Article.php?paper_id=10114)
8. M.A. Gopalan, S. Vidhyalakshmi and N. Thiruniraiselvi, Observations on the ternary quadratic Diophantine equation  $x^2 + 9y^2 = 50z^2$ , *International Journal of Applied Research*. 2015; 1(2):51-53.
9. <https://www.allresearchjournal.com/archives/2015/vol1issue2/PartB/60.1-590.pdf>
10. M.A. Gopalan, S. Vidhyalakshmi and N. Thiruniraiselvi, Observations on the cone  $z^2 = ax^2 + a(a-1)y^2$ , *International Journal*

- of *Multidisciplinary Research and Development*, Vol.2 (9), Pp.304-305, Sep-2015.
11. <https://www.allsubjectjournal.com/assets/archives/2015/vol2issue9/164.pdf>
  12. N. Thiruniraiselvi, M.A. Gopalan. On the equations  $y^2 = 11x^2 + 22$ , *Academic Journal of Applied Mathematical Sciences*. 2020; 6(7):85-92.
  13. [https://arpgweb.com/pdf-files/ajams6\(7\)85-92.pdf](https://arpgweb.com/pdf-files/ajams6(7)85-92.pdf)
  14. M.A. Gopalan, S. Vidhyalakshmi and N. Thiruniraiselvi. A Study on Special Homogeneous Cone  $z^2 = 24x^2 + y^2$ , Vidyabharati. *International Interdisciplinary Research Journal*, (Special Issue on "Recent Research Trends in Management, Science and Technology"-Part-3, pdf page-330):1203-1208, 2021.
  15. <https://www.viirj.org/specialissues/SP10/Part%203.pdf>
  16. M.A. Gopalan, S. Vidhyalakshmi and N. Thiruniraiselvi, On the Homogeneous Ternary Quadratic Diophantine Equation  $6x^2 + 5y^2 = 341z^2$ , Vidyabharati *International Interdisciplinary Research Journal*, (Special Issue on "Recent Research Trends in Management, Science and Technology"-Part-4, pdf page-318), Pg: 1612-1617, 2021.
  17. <https://www.viirj.org/specialissues/SP10/Part%204.pdf>
  18. Dr. N Thiruniraiselvi, Dr. MA Gopalan, G Selvarathi, On the Positive Pell Equation  $y^2 = 14x^2 + 18$ , *International Journal of Advanced Multidisciplinary Research and Studies*. 2022; 2(3):241-243.
  19. <https://www.multiresearchjournal.com/arclist/list-2022.2.3/id-239>
  20. M.A. Gopalan, S. Vidhyalakshmi and N. Thiruniraiselvi, A class of new solutions in integers to Ternary Quadratic Diophantine Equation  $12(x^2 + y^2) - 23xy + 2x + 2y + 4 = 56z^2$ , *International Journal of Research Publication and Reviews*. 2024; 5(5):3224-3226.
  21. [https://www.ijrpr.com/current\\_issues.php](https://www.ijrpr.com/current_issues.php)
  22. J. Lopez-Bonilla, R. Sivaraman. On Solving a Quadratic Diophantine Equation Involving Odd Powers of 17, *Indian Journal of Advanced Mathematics*. 2024; 4(1):1-3. DOI:10.54105/ijam.A1165.04010424.